



PERGAMON

Applied Radiation and Isotopes 54 (2001) IX–X

Applied
Radiation and
Isotopes

www.elsevier.com/locate/apradiso

AUTHOR INDEX VOLUME 51

- Aage H. K., 651
Aba A., 493
Abani M. C., 725
Abdel-Haleem A. S., 131
Abdel-Sabour M. F., 131
Abdel-Wahab M., 131
Abdul-Hadi A., 493
Abelairas A., 203
Ahmad S., 559
Ahmed I. A., 81
Al-Mogabes K. S., 609
Al-Najem K. N., 609
Alam M. N., 747
Alhassanieh O., 493
Altinsoy N., 367
Anilkumar S., 725
Aoyagi K., 197
Areberg J., 581
Arif M., 559
Asfahani J., 449
- Baird I. R., 643
Bakhchi A., 209
Bargholz K., 651
Baxter M. S., 121
Beril Tuğrul A., 367
Bernardo-Filho M., 145
Berne Ph., 615
Berridge M. S., 395
Beshara S., 707
Bist K. S., 587
Blake W. H., 599
Blet V., 615
Blondiaux G., 533
Boisson F., 121
Bor D., 161
Bossus D., 701
Brady F., 377
Brown G., 377
Bruggeman M., 255
Brüssermann M., 389
Büget N., 161
- Cabral-Prieto A., 663, 675
Caldeira-de-Araújo A., 145
Cannizzaro F., 239
Carchon R., 255
Cardoso V. N., 33
Carroll J., 121
Carroll M. L., 121
Cavouras D., 59
Ceccatelli A., 85
Cessna J. T., 515
Chai H. S., 217
- Chao J. H., 137
Chau N. D., 593
Chaussy C., 615
Chi D. Y., 293
Chiozzi P., 247
Choe Y. S., 293
Choi Y., 293
Choubey V. M., 587
Chowdhury M. I., 747
Chruściel E., 593
Cogneau M., 69
Corte F. D., 701
Crespi Caramella V., 21, 353
Croft S., 483
Csikai J., 329
Cywicka-Jakiel T., 419
- Dahl R., 299
Das N. R., 1, 27, 261, 631
Das S. K., 1, 27
De Felice P., 85, 247
De Goeij J. J. M., 15
Degas F., 533
Dhawan V., 299
Diniz S. O. F., 33
Dolbier Jr. W. R., 643
Dorda J., 435
- Eidelberg D., 299
ElAgib I., 329
Elsinga P. H., 389
Engin B., 689, 729
Erramli H., 533
Evans S. M., 643
- Farouk M. A., 609
Fatima I., 559
Fedorova O. S., 395
Filiz Baytaş A., 717
Fountos G., 273
Fowler S. W., 121
Friberg I., 229
Füchtner F., 37, 625
Fujii H., 429
- García-León M., 315
Gardner R. P., 189
Gerits J., 255
Ghafar M., 493
Ghyoot M., 403
Glaros D., 273
Golosov V. N., 341
Grau Carles A., 183
Grau Malonda A., 183
- Greco G., 239
Günther E., 169
Güven O., 689, 729
- Ha H.-J., 293
Habbani F. I., 81
Häfeli U. O., 543
Hamacher K., 37
Han H. S., 217
Hasegawa A., 197
Hashimoto K., 307
Hazari S. K. S., 747
He Q., 599
Herranz M., 203
Hetman A., 475
Hovgaard J., 651
Hsia C. C., 137
Husain S., 115
Hutchinson I. G., 483
- Idiri Z., 9
Ignatiev E. A., 151
Ishii S.-I., 285
Ishioka N. S., 197
Ishiwata K., 285
Ivanova N. N., 341
- James B. R., 643
Jha S. K., 97
Jiménez-Domínguez H., 675
Jones T., 377
Jongen Y., 403
Jordanova J., 329
Jun J. S., 217
- Kachur A. V., 643
Kandarakis I., 59
Kaneko S., 285
Kanellopoulos M., 59
Kelm M., 637
Khan I., 377
Khelifi R., 9
Kim B.-T., 293
Kim J. I., 637
Kim S. E., 293
King S. E., 121
Klein R., 169
Knapp Jr. F. F., 411
Koch C. J., 643
Koizumi M., 197
Kojima T., 197
Köksal F., 689, 729
Korsakov M. V., 395
Korsbech U., 651

- Kothari K., 43, 51
 Kounadi E., 273
 Kozłowska B., 475
 Krasikova R. N., 395
 Krishna Rao G., 335
 Krishnamoorthy T. M., 97
 Krishnan N., 725
 Kroon K. J., 15
 Kropp J., 411
 Krosshavn M., 121
 Krug H., 625
 Ktata A., 209
 Kumar B., 97
 Kumar V., 93
 Kvasnikova E. V., 341

 Lahiri S., 1, 27, 261, 631
 Lambrecht R. M., 69, 177
 Landmeier Bennington B., 395
 Lee C. J., 137
 Lee K. H., 293
 Legarda F., 203
 Li A.-R., 643
 Liang T.-j., 527
 Lierde S. V., 701
 López-Gutiérrez J. M., 315
 Loskiewicz J., 419
 Lubberink M., 707
 Luna-Zaragoza D., 499
 Lundqvist H., 707
 Luo H., 411
 Luthra S. K., 377
 Luurtsema G., 389
 Lyon G. L., 461
 Lyubashevskii N. M., 151

 Mackay D. B., 403
 Maggi L., 21, 353
 Manohar S. B., 631
 Manohar S. B., 1, 27, 261
 Matakchieri R., 299
 Mattsson S., 505, 581
 Matzke K. H., 37
 Mayo C. W., 189
 McKnight S., 403
 McPherson D. W., 411
 Meriç N., 161
 Merzouki A., 209
 Meyer G.-J., 37
 Miao J. M., 279
 Michel R., 315
 Mietelski J. W., 435
 Misdaq M. A., 209
 Mishra S. P., 359
 Miyajima A., 197
 Mogi H., 551
 Muhammad D., 115

 Nachiappan Rm. P., 97
 Nada A., 131
 Nagai R., 197
 Nageswara Rao A. S., 269, 335
 Nataka T., 429
 Navada S. V., 97
 Nayak D., 1, 27, 261, 631
 Neumann W., 625
 Nezamzadeh M., 419

 Nomicos C. D., 59
 Noronha O. P. D., 43, 51
 Norrgren K., 581
 Notohamiprodjo G., 37
 Nunan E. A., 33

 Ochoński A., 593
 Oh S.-J., 293
 Okamoto E., 197
 Oláh L., 329
 de Oliveira J. F., 145
 Omari L., 9
 Omura H., 285
 Osa A., 197

 Panayiotakis G. S., 59
 Panin A. V., 341
 Pashalidis I., 637
 Pasquale V., 247
 Pillai M. R. A., 43, 51
 Pommé S., 701
 Poole K., 403
 Poole K. G., 377
 Povinec P. P., 121
 Prasad R., 93, 107
 Preusche St., 625
 Price P. M., 377

 Qaim S. M., 69
 Qureshi I. H., 559

 Rääf C. L., 505
 Radhakrishna Murthy C., 335
 Raja Sekhar N., 269
 Ramachandran T. V., 93
 Ramana Reddy S. V. S., 269
 Ramaswami A., 1, 27, 261, 631
 Ramola R. C., 587
 Raneli M., 239
 Rao S. M., 97
 Rehana I., 115
 Reiniger I. W., 145
 Resende B. M., 33
 Review B., 757
 Roberts W. K., 543
 Roche A., 643
 Romanyukha A. A., 151
 Rubio J., 663, 675
 Ruiz H. V., 69, 177
 Russo D., 247

 Saini N. K., 587
 Samuel A. M., 43, 51
 Saravana Kumar U., 97
 Schmidt A., 315
 Schmitz F., 403
 Schnabel Ch., 315
 Scholten B., 69
 Schönfeld E., 169
 Schötzig U., 169
 Schrader H., 169
 Seghir M., 9
 Sekine T., 177, 197
 Semkow T. M., 565
 Senda M., 285
 Sengupta D., 107
 Sergis A., 377

 Serrano G. J., 499
 Shabana E. I., 609
 Shahid K. A., 115
 Shimpi H. H., 43, 51
 Shishkina E. A., 151
 Shiue C.-Y., 643
 Shiue G. G., 643
 Shukla V. K., 97
 Simal C. J. R., 33
 Simonits A., 701
 Singh A. K., 107
 Skov K. A., 643
 van Sluijs R., 701
 Spitale M. C., 239
 Sroor A., 131
 Steel C. J., 377, 403
 Steinbach J., 37, 625
 Stukin E. D., 341
 Suter M., 315
 Synal H.-A., 315

 Takeda T., 551
 Takiue M., 429
 Teng S. P., 137
 Teyssie J.-L., 121
 Thornberg C., 505
 Tiwary D., 359
 Tobita T., 551
 Tola F., 615
 Tolmachev V., 707
 Tomarchio E., 239
 Tracz G., 419
 Tramontano R., 323
 Tseng C. L., 137
 Tzaphlidou M., 273

 Unni P. R., 43, 51

 Vaalburg W., 389
 Valentini Ganzerli M. T., 21, 353
 Vamecq F., 403
 Van Elteren J. T., 15
 Vanin V. R., 323
 Verbruggen R., 403
 Verdoya M., 247
 Vesanen R., 229
 Vitart X., 615
 de Vries E. F. J., 389

 Was B., 435
 Walling D. E., 341, 599
 Watanabe S., 197
 Whitehead N. E., 461
 Woroniecka U. D., 15
 Wyszomirski P., 593

 Yi C. Y., 217
 Yoshii M., 197
 Youbi N., 209
 Yu K. N., 279

 Zaidi J. H., 559
 Zessin J., 625
 Zijlstra S., 37
 Zimmerman B. E., 515
 Zipper W., 475



PERGAMON

Applied Radiation and Isotopes 54 (2001) XI–XXII

Applied
Radiation and
Isotopes

www.elsevier.com/locate/apradiso

SUBJECT INDEX VOLUME 51

Accelerator

Cyclone 3D ^{15}O generator: use in gas production for PET and quality assurance 403

Accelerator mass spectrometry see Spectrometry, mass accelerator

Accident

Chernobyl: spatial variability of ^{137}Cs in small agricultural drainage basin in central Russia 341

Nuclear: detection limits for ^{90}Sr , Pu, Am and Cm in soil and vegetation 229

Actinium

Separation from natural U and Th series by ion exchange 493

Activation analysis

Charged particle: use to determine oxygen impurity atoms beneath the surface of Cz-silicon 533

INAA: use to determine natural radioactivity in building materials in Rawalpindi/Islamabad 559

NAA

Re-evaluation of k_o for $^{104\text{m}}\text{Rh}$ - ^{104}Rh 555.8 keV γ -ray 701

Use to determine heavy metals and rare earths in Egyptian cigarettes 131

Use to determine ^{129}I in radwastes 137

PGNAA

NaI detector non-linearity 189

Use to determine the Ca/Si ratio in bulk concrete 9

Air

Borne low level contamination: new technique for processing γ -ray spectrometry data 651

^{129}I : determination by accelerator mass spectrometry 315

^{210}Pb concentration at ground level; use of γ -ray spectrometry 239

Alanine

Free radicals: resolution enhancement of broadened spectra 663

Unbound and silicone bound, γ -ray and UV irradiated: resolution enhanced ESR powder spectrum 675

Algorithm

For projection map interpolation in parallel beam γ -ray computed tomography 717

ALICE

Code predictions on accelerator production of ^{99}Mo 177

Aluminium

Scatter fraction of x-ray beam: determination by experiment and Monte Carlo calculation 161

Americium

Detection limits in soil and vegetation shortly after a nuclear accident 229

Amino acids

^{11}C labelling: synthesis using immobilised enzymes 285

Amino methylene phosphonate derivatives

Labelling with generator produced ^{188}Re and stability 307

* Denotes a Technical Note.

- Ammonia*
 $[^{13}\text{N}]\text{NH}_3$: improved yield from proton irradiation of water using methane gas 395
- Apparatus*
 Automated synthesis module for one-pot preparation of 6- $[^{18}\text{F}]$ fluoro-DOPA 389
- Ash*
 Coal: influence of Fe content on measurements of calorific value 419
- Bacteria*
E. coli: effect of $^{99\text{m}}\text{Tc}$ labelling on viability 33
- Barium*
 Ba(II) ions: removal from aqueous solutions by hydrous ferric oxide 359
- Beryllium*
 ^7Be fallout: as a tracer in soil erosion investigations 599
- Beta particle*
 Emitter mixture: technique using liquid and NaI(Tl) scintillation spectrometry 429
 Mass attenuation coefficients of $\beta +$ particles 217
- Bismuth*
 ^{207}Bi activity calibrated source: use in HPGe detector efficiency calibration 323
- Blood*
 Red cell labelling with $^{99\text{m}}\text{Tc}$: effect of *Peumus boldus* 145
- Body burden*
 Of radiocesium in man by urine excretion: differences between potassium and creatinine normalisation 505
- Bone*
 Radius: *in vivo* measurement of Ca/P ratio by x-ray absorptiometry 273
- Book review*
 What is safe? The risks of living in a nuclear age 757
- Borehole*
 Logging: optimisation of spectrometric γ - γ probe configuration for lead and zinc grade determination 449
- Brachytherapy*
 Rhenium wire source: ^{186}Re and ^{188}Re distribution and its effect on β -dosimetry 543
- Brine*
 Concentrated: spectroscopic investigation of hypochlorite formation by α -radiolysis 637
- Bromine*
 $^{81}\text{Br}(\text{n},2\text{n})^{80\text{m,g}}\text{Br}$ reaction: measurement of isomeric cross sections using 14.5 MeV neutrons 81
- 3-Bromopropyl triflate*
 Re-evaluation as the precursor in the preparation of 3- $[^{18}\text{F}]$ -fluoropropyl bromide 293
- Building*
 Materials
 Indian: natural radioactivity 93
 Measurement of U, Th and K concentrations 483
 Used in Rawalpindi/Islamabad: determination of natural radioactivity 559
- Calcium*
 Ca/P ratio in radius: *in vivo* measurements by x-ray absorptiometry 273
 Ca/Si ratio: determination in bulk concrete by PGNAA 9
- Carbon*
 Measurement of 4.43 MeV C γ -ray to determine calorific value of coal and effect of high iron content 419
- Carbon dioxide*
 $[^{15}\text{O}] \text{CO}_2$: production and quality control for use in PET studies using a Cyclone 3D ^{15}O generator 403

- Carbon monoxide*
 [^{15}O]CO: production and quality control for use in PET studies using a Cyclone 3D ^{15}O generator 403
- CASTEM 2000*
 Use for modelling in radiotracer methodology 615
- Cement*
 Measurement of U, Th and K concentrations 483
- Cerium oxide*
 Use as target to produce carrier free Gd 1
- Cesium*
 ^{137}Cs
 And ^{134}Cs body burden in man: determination by urinary excretion and differences between K and creatinine normalisation 505
 Dating techniques to determine sedimentation in Lake Naini, India 97
 Distribution in river sediments and coastal soil at Chittagong (Bangladesh) 747
 Mapping low-level airborne contamination by γ -ray spectrometry 651
 Spatial variability in small agricultural drainage basin in central Russia 341
- Chromatography*
 LAOX column: use to separate traces of Th from large amounts of U 353
- Cigarette*
 Egyptian: determination of heavy metals and rare earth elements by NAA 131
- Cisplatin*
 ^{191}Pt , $^{193\text{m}}\text{Pt}$ and $^{185\text{m}}\text{Pt}$ labelled: absorbed doses to patients 581
- Coal*
 By-products from power plants: natural radioactivity 93
 Measurement of calorific value: effect of high iron content on measurement of 4.43MeV C γ -rays 419
 Quality control of seams by γ -ray transmission technique 269
- Cobalt*
 ^{60}Co uncalibrated source: use in HPGe detector efficiency calibration 323
- Code*
 CASTEM 2000: use in radiotracer methodology 615
- Computed tomography*
 Parallel beam γ -ray: projection map interpolation 717
- Concrete*
 PGNA analysis to determine the Ca/Si ratio 9
- Copper*
 Bihar mine: radon exhalation rate and U estimates in rock samples 107
 ^{62}Cu standardisation and determination of dose calibrator setting for ^{62}Cu PTSM 515
 Scatter fraction of x-ray beam: determination by experiment and Monte Carlo calculations 161
 Voltammetry detection in high specific activity ^{64}Cu 15
- Counting*
 Liquid scintillation
 Computation of ionization quench factor in standardizations 183
 To determine ^{222}Rn in water from health resorts in the Sudety mountains, Poland 475
 Statistics: theory of overdispersion caused by fluctuating probabilities 565
- Creatinine*
 Normalisation of ^{137}Cs in a single urine sample for body burden assessment 505
- Critical angles*
 Of solid state nuclear track detectors: use to determine U and Th in geological samples 209
- Curium*
 Detection limits in soil and vegetation after a nuclear accident 229

<i>γ-Cyano-α-aminobutyric acid synthase</i>	
Use in synthesis of ^{11}C -methionine and its derivatives	285
<i>Cyclotron</i>	
Short lived PET radionuclides: transport from facility to radiochemical laboratories	625
<i>Dating</i>	
Of travertine from S. W. Turkey by ESR	689
<i>Decay</i>	
Data of ^{153}Sm	169
Fluctuating probability: theory of overdispersion in counting statistics	565
<i>Deconvolution techniques</i>	
Use for resolution enhancement of spectra of irradiated alanine	663
Use for resolution enhancement of spectra of irradiated unbound and silicone bound alanine	675
<i>Detector</i>	
HPGe: efficiency calibration using activity calibrated and uncalibrated γ -ray sources	323
NaI: nonlinearity for PGNAAP applications	189
Solid state CR39 and LR115 type II: use to determine U and Th in geological samples	209
<i>1,2-Dipalmitoyl-3-IPPA</i>	
Radioiodination via a tributyltin intermediate to produce ^{125}I -MIPAG	411
<i>Distribution coefficients (K_d's)</i>	
Determination for Ra and Th on Dowex ion exchange resins	493
For use in risk assessment models of the Kara sea	121
<i>Dose</i>	
Absorbed by patients from ^{191}Pt -, $^{193\text{m}}\text{Pt}$ - and $^{195\text{m}}\text{Pt}$ -cisplatin	581
β -: in a water phantom from a ^{186}Re and ^{188}Re wire source	543
Reconstruction for ^{90}Sr in bones and teeth of dogs: determination by EPR	151
<i>Dosimetry</i>	
β -: in a water phantom from a ^{186}Re and ^{188}Re wire source	543
EPR: reconstruction of dose for ^{90}Sr in bones and teeth of dogs	151
Experimental determination of dose calibrator dial settings for $^{62}\text{CuPTSM}$	515
<i>Dysprosium</i>	
$^{150-153}\text{Dy}$: separation from $^{12}\text{C}^{6+}$ irradiated Nd_2O_3	27
<i>EF1 and [^{18}F]EF1</i>	
Synthesis for use as hypoxia markers	643
<i>Electroplating</i>	
Use to prepare U targets for ^{99}Mo production	499
<i>Enzyme</i>	
γ - α -aminobutyric acid synthase: use in synthesis of ^{11}C labelled methionine	285
<i>EPR</i>	
Dose reconstruction for bone-seeking ^{90}Sr in dogs	151
<i>Escherichia coli</i>	
Labelling with $^{99\text{m}}\text{Tc}$ and bacterial viability	33
<i>ESR</i>	
Powder spectrum of γ - and u.v.-irradiated unbound and silicone bound alanine: resolution enhancement	675
Properties of travertines from S. W. Turkey	729
Spectra of irradiated and thermally treated alanine free radicals: resolution enhancement	663
Use to determine the age of travertine from S. W. Turkey	689
<i>Europium</i>	
$^{146,147}\text{Eu}$: production and separation from a $^{12}\text{C}^{6+}$ irradiated matrix	261

Excitation functions

- For $^{100}\text{Mo}(\text{p},2\text{n})^{99\text{m}}\text{Tc}$, $^{100}\text{Mo}(\text{p},\text{pn})^{99}\text{Mo}$ and $^{99}\text{Mo}(\text{p},\gamma)^{99\text{m}}\text{Tc}$ 69
 For proton induced reactions on ^{100}Mo : ALICE predictions 177

Fallout

- ^7Be as a tracer in soil erosion investigations 599
 Spatial variability of Chernobyl derived ^{137}Cs in a small agricultural area in central Russia 341

Fault

- Geological: relation between soil-gas radon and different lithotectonic units, Garhwal, Himalaya 587

Ferric oxide

- Hydrous: use in removal of Ba(II) and Sr(II) in radwaste management 359

Flow

- Turbulent: radiotracer technique to determine concentration profiles 367

Fluid

- Turbulent dispersion: study by a radioactive tracer technique using ^{24}Na 367

2- ^{18}F FDG

- Preparation from 1,3,4,6 tetra acetyl-2- ^{18}F FDG: stability towards epimerisation under alkaline conditions 37

6- ^{18}F a L-DOPA

- One-pot preparation: automated synthesis module 389

3- ^{18}F -Fluoropropyl bromide

- Preparation: re-evaluation of 3-bromopropyl triflate as precursor 293

 ^{18}F N-3-Fluoropropyl-2- β -carboxymethoxy-3- β -(4'-methylphenyl)nortropine (FPCMT)

- Radiosynthesis 299

Free radical

- Alanine, u.v. and thermally treated: resolution enhancement of broadened spectra 663
 From γ -ray and u.v. irradiated unbound and silicone bound alanine: resolution enhanced ESR spectra 675

Gadolinium

- $^{147,149}\text{Gd}$ separation carrier free from irradiated CeO_2 target 1

Gamma ray

- 555.8keV emitted by $^{104\text{m}}\text{Rh}$ - ^{104}Rh pair: re-evaluation of k_o and nuclear data for use in NAA 701
 Source, activity calibrated and uncalibrated: use to determine HPGe detector efficiency 323
 Transmission technique for quality control of coal seams 269
 Very low activity sources in a spectrometric γ - γ probe for PBX and Zn grade determination in borehole logging 449

Gas

- Flow mantles: radioactivity determination 609

Gold

- $^{197}\text{Au}(\text{n},2\text{n})^{196\text{m,g}}\text{Au}$ reaction: measurement of isomeric cross sections using 14.5 MeV neutrons 81

Hypochlorite

- Formation by α -radiolysis of concentrated brine solutions 637

Hypoxia markers

- EF1 and ^{18}F EF1: synthesis 643

Imaging

- Quantitative by PET: patient studies with ^{52}Fe 707
 X-ray: determination of scatter fractions of materials by experiment and Monte Carlo calculations 161

X-ray scintillators: SNR expressed as x-ray luminescence efficiency	59
<i>Indium</i>	
$^{113}\text{In}(n,2n)^{112\text{m,g}}\text{In}$ reaction: measurement of isomeric cross sections using 14.5 MeV neutrons	81
<i>Iodine</i>	
^{129}I	
Determination in atmospheric samples by accelerator mass spectrometry	315
In radwastes by neutron activation	137
<i>Ion exchange</i>	
Thorium adsorption behaviour on LAOX (mixed ammonium lanthanum tartrate)	21
Use in separation of Th, U, Pa, Ra and Ac from natural U and Th series	493
Use of hydrous ferric oxide in radwaste management	359
<i>Ionizing radiation</i>	
Detection limits: theory of overdispersion in counting statistics caused by fluctuating probabilities	565
<i>Iron</i>	
Characterization of blue and white porcelain using Mn/Fe ratio from EDXRF	279
Effect of high content in coal ash on measurement of 4.43 MeV C γ -rays	419
^{52}Fe use in PET: quantification aspects of patient studies	707
^{55}Fe standardisation by $4\pi\beta$ liquid scintillation spectrometry method with ^3H standard efficiency tracing	85
<i>K_o-factor</i>	
Re-evaluation for 555.8 keV γ -ray for $^{104\text{m}}\text{Rh}$ - ^{104}Rh pair for use in NAA	701
<i>Kaolin</i>	
Open pit in Zarów (Lower Silesia): uranium in mining waters	593
<i>Lanthanum</i>	
La_2O_3 matrix, $^{12}\text{C}^{6+}$ irradiated: production and separation of carrier free $^{146,147}\text{Eu}$	261
La_2O_3 matrix, ^{16}O irradiated: separation of carrier free	631
<i>LAOX (mixed ammonium lanthanum oxalate)</i>	
Adsorption behaviour of thorium	21
Use as chromatographic column to separate traces of Th from U	353
<i>Lead</i>	
Grade determination in borehole logging using very low activity sources in a γ - γ probe	449
^{210}Pb	
Concentration in air at ground level by γ -ray spectrometry	239
Dating technique to determine sedimentation rate in Lake Naini, India	97
<i>Lithotectonic units</i>	
Garhwal, Himalaya: relation with soil-gas radon variation	587
<i>Logging</i>	
Tool using very low radioactivity for lead and zinc grade determination	449
<i>Lucite</i>	
Scatter fraction of x-ray beam: determination by experiment and Monte Carlo calculation	161
<i>Manganese</i>	
Characterization of blue and white porcelain using the Mn/Fe ratio from EDXRF	279
$^{52\text{m}}\text{Mn}$ in PET: quantification of patient studies	707
<i>Mantle</i>	
Gas flow: radioactivity determination	609
<i>Marinelli beaker</i>	
Use in determination of U, Th and K concentrations in building materials	483

<i>Mass attenuation coefficient</i>	
Of β^+ particles	217
Use to characterise phantom material	335*
<i>Material</i>	
Tissue equivalent: Z-dependence of photon interactions	335*
<i>Metal</i>	
Heavy: determination in Egyptian cigarettes by NAA	131
<i>Methane</i>	
Use in target to improve the yield of ^{13}N -ammonia by proton irradiation of water	395
<i>Methionine</i>	
^{11}C labelled: enzymatic synthesis with immobilised γ -cyano- α aminobutyric acid synthase	285
<i>MIPAG</i>	
Radioiodination	411
<i>Molybdenum</i>	
$^{92}\text{Mo}(\text{n},2\text{n})$ $^{91\text{m,g}}\text{Mo}$ reaction: isomeric cross sections using 14.5 MeV neutrons	81
^{99}Mo	
Accelerator production: ALICE predictions	177
Excitation functions for cyclotron production	69
<i>Monte Carlo calculation</i>	
Use to determine scatter fractions of materials	161
<i>Mordenite</i>	
Sorption of strontium: effect of cation concentration	527
<i>Neodymium</i>	
$^{12}\text{C}^{6+}$ irradiated Nd_2O_3 : separation of carrier free dysprosium and terbium isotopes	27
<i>Neutron</i>	
Leakage spectra from spherical samples with a Pu-Be source	329
Start-up source: handling in a high temperature gas-cooled reactor	551
<i>Nickel</i>	
^{63}Ni standardisation by $4\pi\beta$ liquid scintillation spectrometry	85
<i>2-(2-Nitroimidazol-1[H]-yl)-N-(3-fluoropropyl)acetamide (EF-!)</i>	
Synthesis and ^{18}F labelling	643
<i>Nuclear data</i>	
For 555.8 keV γ -ray emitted by $^{104\text{m}}\text{Rh}$ - ^{104}Rh : re-evaluation for use in NAA	701
$^{234\text{m}}\text{Pa}$ 1001 keV γ -line; application of fundamental parameter method for investigation of branching intensity	725
Impurity atoms beneath the surface of Cz-silicon: analysis by CPAA	533
^{15}O production and quality control from a Cyclone 3D ^{15}O generator for use in PET studies	403
<i>Oxygen</i>	
Impurity atoms beneath the surface of Cz-silicon: analysis by CPAA	533
<i>PET</i>	
Agent ^{62}Cu PTSM: determination of dose calibrator settings	515
Gas production: quality assurance using a Cyclone 3D ^{15}O generator	403
Quantification aspects of patient studies with ^{52}Fe	707
Radionuclides: long distance transport between cyclotron and radiochemical laboratories	625
<i>Peumos boldus</i>	
Effect on labelling red blood cells and plasma proteins with $^{99\text{m}}\text{Tc}$	145
<i>PGNAA</i>	
NaI detector non-linearity	189

<i>Phantom</i>	
Material: Z-dependence of photon interactions	335*
Water: dose distribution from a ^{186}Rh and ^{188}Rh wire source	443
$[^{11}\text{C}]\text{Phosgene}$	
Use to prepare $[^{11}\text{C}]\text{-urea}$ for synthesis of 2- $[^{11}\text{C}]\text{-thymidine}$	377
<i>Phosphorus</i>	
In vivo measurement of Ca/P ratio in the radius by x-ray absorptiometry	273
<i>Photon</i>	
Interactions in tissue equivalent materials: Z-dependence	335*
<i>Platinum</i>	
$^{198}\text{Pt}(n,2n)^{197\text{m.g}}\text{Pt}$ reaction: isomeric cross section using 14.5 MeV neutrons	81
<i>Plutonium</i>	
Detection limits in soil and vegetation after a nuclear accident	229
Pu-Be source: leakage neutron spectra from spherical samples	329
^{241}Pu content in forest soil from Poland	435
<i>Polyethylene</i>	
Scatter fraction of x-ray beam: determination by experiment and Monte Carlo calculations	161
<i>Polypropylene</i>	
Scatter fraction of x-ray beam: determination by experiment and Monte Carlo calculations	161
<i>Porcelain</i>	
Blue and white from Xuande period(1426-35 AD): characterisation from Mn/Fe ratio from EDXRF	279
<i>Potassium</i>	
Normalisation of ^{137}Cs urine excretion in a single sample in body burden assessment	505
^{40}K	
Concentration in building materials	483
Determination in building materials used in Rawalpindi/Islamabad	559
Natural content in Indian building materials	93
<i>Protactinium</i>	
$^{234\text{m}}\text{Pa}$ 1001 keV γ -line; application of fundamental parameter method for investigation of branching intensity	725
Separation from natural Th and U series by ion exchange	493
<i>Protein</i>	
Plasma :: effect of <i>Peumos boldus</i> on $^{99\text{m}}\text{Tc}$ labelling	145
<i>Proton</i>	
Irradiation of water in production of $[^{13}\text{N}]\text{-ammonia}$	395
<i>Quench factor ($Q(E)$)</i>	
Computation in liquid scintillation counting standardisations	183
<i>Radioactivity</i>	
Determination in gas-flow mantles from different manufacturers	609
Natural: determination in building materials by γ -ray spectrometry and INAA	559
<i>Radioassay</i>	
Hybrid technique for multiple β -emitter mixtures using liquid and NaI(Tl) scintillation spectrometers	429
<i>Radiolysis</i>	
Alpha- of concentrated NaCl solutions: spectroscopic investigation of formation of hypochlorite	637
<i>Radionuclide</i>	
Distribution coefficients for use in risk assessment models of the Kara sea	121
Distribution in river sediments and coastal soils of Chittagong (Bangladesh)	747
PET: transport system for transfer from cyclotron to radiochemical laboratory	625

<i>Radiopharmaceutical</i>	
¹⁸⁸ Re labelled aminomethylene phosphonate derivatives: synthesis and stability	307
<i>Radiotracer</i>	
Methodology: recent developments	615
<i>Radium</i>	
²²⁶ Ra: natural content in Indian building materials	93
²²⁸ Ra; determination in gas flow mantles by γ -spectrometry	609
Separation from natural Th and U series by ion exchange	493
<i>Radon</i>	
Exhalation rate from rock samples from Bihar U and Cu mines	107
Gas emanation from soil and rocks from different lithotectonic units in Garhwal, Himalaya	587
²²² Rn	
In groundwater: changes related to seismic activity	461
In water samples from health resorts in the Sudety mountains, Poland, by LSC	475
<i>Radwaste</i> see <i>Waste, radioactive</i> or <i>Waste, radwaste</i>	
<i>Rare earths</i>	
Source-sink determination in Egyptian cigarettes by NAA	131
<i>Reactor</i>	
High-temperature gas cooled: handling of neutron start-up sources	551
<i>Rhenium</i>	
[¹⁸⁶ Re] Re-DMSA: preparation and biodistribution studies	43
[¹⁸⁶ Re] Re-HEDP: preparation, stability studies and pharmacological behaviour	51
And ¹⁸⁸ Re; distribution modelling in a neutron activated wire source and effect on β -dosimetry	543
¹⁸⁸ Re generator produced: use to label aminomethylene phosphonate derivatives and their stability	307
<i>Rhodium</i>	
^{104m} Rh- ¹⁰⁴ Rh pair: re-evaluation of k_0 and nuclear data for 555.8keV γ -ray for use in NAA	701
<i>Rock</i>	
Field γ -ray spectrometry to determine eTh/eU ratios on Vulcano island (Italy)	247
Radon concentration and U content in different lithotectonic units in Garhwal, Himalaya	587
Samples from Bihar U and Cu mines: radon exhalation rate and U estimation	107
<i>Samarium</i>	
¹⁵³ Sm: standardization and decay data	169
<i>Sample</i>	
Atmospheric: determination of ¹²⁹ I by accelerator mass spectrometry	315
Spherical with a Pu-Be source: leakage neutron spectra	329
<i>Sand</i>	
Measurement of U, Th and K concentrations	483
<i>Scandium</i>	
In a glass matrix: characterization and excitation behaviour	115
<i>Scintillator</i>	
X-ray imaging: signal to noise ratio (SNR) determination by luminescence measurements	59
<i>Sea</i>	
Kara: distribution coefficients for use in risk assessment models	121
<i>Sediment</i>	
Of the Kara sea: distribution coefficients for use in risk assessment models	121
River: distribution of radionuclides at Chittagong (Bangladesh) and evaluation of radiation hazard	747
Sedimentation rate and pattern determination in L. Naini, India, by ²¹⁰ Pb and ¹³⁷ Cs dating techniques	97

<i>Seismic activity</i>	
Relation of geochemical changes by studying ^{222}Rn content in groundwater	461
<i>Selenium</i>	
$^{82}\text{Se}(n,2n)^{81\text{m.g}}\text{Se}$ reaction: measurement of isomeric cross sections using 14.5 MeV neutrons	81
<i>Shell source method</i>	
Minimum biased for calibration of radwaste assay	255
<i>Signal</i>	
Signal to noise ratio (SNR) of x-ray imaging scintillators: determination by luminescence measurements	59
<i>Silicon</i>	
Ca/Si ratio: determination in bulk concrete samples by PGNAA	9
Czochralski substrates: analysis of oxygen impurity atoms beneath surface by CPAA	533
<i>Sodium</i>	
^{24}Na ; use as a radiotracer in study of turbulent dispersion of fluids	367
<i>Sodium chloride</i>	
α -radiolysis: spectroscopic investigation of hypochlorite formation	637
<i>Soil</i>	
Coastal at Chittagong (Bangladesh): distribution of radionuclides and radiation hazards	747
Erosion investigations: use of fallout ^7Be as a tracer	599
Forest, in Poland: ^{241}Pu content	435
Radon gas emanation: relation between different lithotectonic units, Garhwal, Himalaya	587
^{90}Sr , Pu , Am and Cm : detection limits shortly after a nuclear accident	229
<i>Source</i>	
γ -ray, activity calibrated and uncalibrated: use to determine HPGe detector efficiency	323
Neutron start-up for a high temperature gas cooled reactor: handling	551
Pu-Be in a sphere: leakage neutron spectra	329
^{186}Re and ^{188}Re distribution in a neutron activated wire and effect of β -dosimetry in a water phantom	543
<i>Spectra</i>	
ESR: resolution enhanced of u.v. and thermally treated alanine free radicals	663
Leakage neutron: from spherical samples with a Pu-Be source	329
<i>Spectrometer</i>	
Liquid and NaI(Tl) scintillation: use for the radioassay of mixed β -emitters	429
<i>Spectrometry</i>	
Accelerator mass: use in determination of ^{129}I in atmospheric samples	315
α - and γ : use to determine radioactivity in gas flow mantles	609
γ - γ probe using very low activity sources: optimization for Pb and Zn grade determination in borehole logging	449
γ -ray	
Data: processing of low-level airborne contamination	651
Measurements on Vulcano island (Aeolian Arc, Italy)	247
Use to determine ^{210}Pb in air at ground level	239
Use to determine natural radioactivity in building materials in Rawalpindi/Islamabad	559
$4\pi\beta$ liquid scintillation: standardisation of ^{90}Sr , ^{63}Ni and ^{55}Fe with ^3H standard efficiency tracing	85
<i>Spectroscopy</i>	
γ -ray for a radwaste system: a minimum biased shell source for calibration	255
Use to investigate hypochlorite formed by α - radiolysis of concentrated NaCl solutions	637
<i>Stent</i>	
Endovascular,radioactive: production by implantation of ^{133}Xe ions	197
<i>Strontium</i>	
Sorption on mordenite: effect of cation concentration	527
Sr(II) ions: removal from aqueous solutions by hydrous ferric oxide	359

⁹⁰ Sr	
Detection limits in soil and vegetation after a nuclear accident	229
Dose reconstruction for bones and teeth of dogs by EPR	151
Standardisation by 4 $\pi\beta$ liquid scintillation spectrometry with ³ H standard efficiency tracing	85
<i>Target</i>	
CeO ₂ : charged particle activation to produce carrier free gadolinium	1
Uranium: preparation by electroplating	499
Water: use with methane gas in improved ¹³ N-ammonia production	395
<i>Technetium</i>	
^{99m} Tc	
Excitation functions for cyclotron production	69
Labelling of <i>E. coli</i> : effect on viability	33
Labelling of red blood cells and plasma proteins: effect of <i>Peumos boldus</i>	145
<i>Teeth</i>	
EPR determination of doses due to ⁹⁰ Sr in dogs	151
<i>Terbium</i>	
^{151,152} Tb: carrier free separation from ¹⁶ O-irradiated lanthanum oxide matrix	631
¹⁵⁰⁻¹⁵³ Tb: separation from ¹² C ⁶⁺ irradiated Nd ₂ O ₃	27
<i>Thermoluminescence</i>	
Properties of travertines from S. W. Turkey	729
<i>Thorium</i>	
Adsorption behaviour on mixed ammonium lanthanum oxalate LAOX	21
Concentration in building materials	483
Determination of content in geological samples using track detectors and near critical angles	209
Determination of radioactivity from gas flow mantles by α -spectrometry	609
Separation from natural U and Th series by ion exchange	493
Separation of traces from large amounts of U on a LAOX column	353
²³² Th	
Determination in building materials used in Rawalpindi/Islamabad	559
Distribution in river sediment and coastal soil at Chittagong (Bangladesh)	747
Natural content in Indian building materials	93
2-[¹¹ C]Thymidine	
Automated synthesis using anhydrous [¹¹ C]-urea	377
<i>Tissue</i>	
Equivalent material: Z-dependence of photon cross sections	335*
<i>Track</i>	
Detector: use in determination of U and Th in geological samples	209
<i>Travertine</i>	
From S. W. Turkey	
Dating by ESR	689
Thermoluminescent and ESR properties	729
<i>Tributyltin intermediate</i>	
Use in radioiodination of MIPAG	411
<i>Tritium</i>	
³ H tracer: use in standardisation of ⁹⁰ Sr, ⁶³ Ni and ⁵⁵ Fe by 4 $\pi\beta$ liquid scintillation spectrometry	85
<i>Uranium</i>	
Concentration in building materials	483
Content in soil and rocks and relation between soil-gas radon variation in Garhwal, Himalaya	587
Determination of content in geological samples using track detectors and mean critical angles	209

Estimation in rock samples from Bihar U and Cu mines	107
Separation from natural Th and U series by ion exchange	493
Target: preparation by electroplating	499
^{234}U , ^{238}U and ^{235}U in raw waters in N. Spain	203
^{234}U and ^{238}U in mining waters of kaolin open pit in Zarow (Lower Silesia): determination and genetic remarks	593
^{238}U	
Determination from branching intensity of 1001keV γ -line of ^{234}Pa	725
Determination in building materials used in Rawalpindi/Islamabad	559
Distribution in river sediment and coastal soil at Chittagong (Bangladesh)	747
[^{11}C]Urea	
Anhydrous, derived from [^{11}C] phosgene: use to synthesise 2-[^{11}C]-thymidine	377
Urine	
Excretion of ^{137}Cs for assessment of body burden in man: differences between K and creatinine normalisation	505
Vegetation	
Pasture, shortly after a nuclear accident: ^{90}Sr , Pu, Am and Cm detection limits	229
Vessel	
Transfer, for handling neutron start-up sources in a high temperature gas cooled reactor	551
Voltammetry	
In cathodic stripping mode: use to measure ultra trace levels of Cu in high specific activity ^{64}Cu	15
Waste	
Low-level radiation: analysis of ^{129}I by NA	137
Radioactive: use of hydrous ferric oxide to remove Ba(II) and Sr (II) ions from aqueous solutions	359
Radwaste assay systems: minimum biased shell source for calibration	255
Water	
Determination of ^{222}Rn in samples from health resorts in the Sudety mountains, Poland	475
Ground, $\delta^{18}\text{O}$ (H_2O) and ^{222}Rn : changes related to seismic activity	461
Mining waters in kaolin open pit (Lower Silesia): U determination	593
Surface, from the Bay of Biscay: uranium contents	203
Target using methane gas: use in improved production of ^{13}N -ammonia	395
Xenon	
^{133}Xe ions: implantation to produce a radioactive coronary stent	197
X-ray	
Absorptiometry: use for <i>in vivo</i> measurement of radius Ca/P ratio	273
EDXRF: use to characterise blue and white porcelains by the Mn/Fe ratio	279
Imaging: determination of scatter fractions of materials by experiment and Monte Carlo calculations	161
Imaging scintillators: SNR expressed as x-ray luminescence efficiency	59
Zinc	
Grade determination in borehole logging using very low activity sources in a γ - γ probe	449
Zirconium	
$^{90}\text{Zr}(\text{n},2\text{n})$ $^{89\text{m,g}}\text{Zr}$ reaction: measurement of isomeric cross sections using 14.5 MeV neutrons	81

